

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	6	(network same unavailab\$5 same packet same (receiv\$5 or transmi\$6) same (data or storage)) and (709/220.ccls. or 709/221.ccls. or 710/52.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:22
L7	10	(computer same network same packet same writ\$4 same buffer same (information or data)) and (709/220.ccls. or 709/221.ccls. or 710/52.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:22
L8	3	((network with ("not" or availab\$5 or connect\$5 or presen\$5 or unabl\$5)) same ((stor\$4 with writ\$5 with packet))) and (709/220.ccls. or 709/221.ccls. or 710/52.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:22
S1	0	(computer same storage same (continuous\$2 with availab\$5) same thread same queu\$3 same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:40
S2	0	(storage same (continuous\$2 with availab\$5) same thread same queu\$3 same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:44
S3	0	(storage same (information with availab\$5) same thread same queu\$3 same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:44
S4	1	(storage same (data with availab\$5) same thread same queu\$3 same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:45
S5	5	(storage same (availab\$5) same thread same queu\$3 same packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:47
S6	1	(storage same (availab\$5) same thread same queu\$3 same packet) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 16:46

S7	0	(network same storage same (continuous\$2 with availa\$5) same (write with packet with buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:01
S8	0	(network same storage same (continuous\$2 with availa\$5) same (write with packet with queu\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:01
S9	0	(storage same (continuous\$2 with availa\$5) same (write with packet with buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:01
S10	1	(storage same (continuous\$2 with availa\$5) same (write with packet with queu\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:04
S11	0	(computer same storage same network same packet same (write with buffer) same availab\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:05
S12	4	(storage same network same packet same (write with buffer) same availab\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:05
S13	4	(storage same network same packet same (write with buffer) same availab\$5) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:45
S14	90	(computer same network same packet same writ\$4 same buffer same (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:22
S15	27	(computer same network same (packet with writ\$4 with buffer) same (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 09:42
S16	21	(computer same network same (packet with writ\$4 with buffer) same (information or data)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 10:55

S17	1	(computer same network same (packet with writ\$4 with buffer) same (information or data)).ab. and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 10:27
S18	0	(computer same network same (packet with writ\$4 with buffer) same (information or data)).ab. and @ad<"20010629" and availab\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 10:27
S19	16	(computer same network same (packet with writ\$4 with buffer) same (information or data)) and @ad<"20010629" and availab\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:00
S20	7	(computer same network same (packet with writ\$4 with buffer) same (information or data)) and @ad<"20010629" and ((network or connect\$4) with availab\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 11:00
S21	5	(computer same network same (packet with writ\$4 with buffer) same (information or data)) and @ad<"20010629" and ((network or connect\$4) near5 availab\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:13
S27	1	"5948079".pn. and (buffer\$3 same write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:23
S28	0	(buffer same write same packet same (transfer or empt\$4) same ((level or point) with full) same storage same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:24
S29	0	(buffer same write same packet same (transfer or empt\$4) same ((level or point) with full) same storage same network) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:25
S30	1	(buffer same packet same (transfer or empt\$4) same ((level or point) with full) same storage same network) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 12:26
S31	12	(buffer same packet same (transfer or empt\$4) same ((level or point) with full) same network) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:03

S32	4	((network with (unavailable or disconnect\$4)) same (transfer\$4 or transmi\$6) same packet same (storage with system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:04
S33	4	((network with (unavailable or disconnect\$4)) same (transfer\$4 or transmi\$6) same packet same (storage with system)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:14
S34	0	((network with (unavailable or disconnect\$4)) same (buffer with (transmi\$5 or empt\$5 or transfer\$5)) same packet same (storage with system)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:16
S35	0	((connection with (unavailable or disconnect\$4)) same (buffer with (transmi\$5 or empt\$5 or transfer\$5)) same packet same (storage with system)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:16
S36	0	((unavailable or disconnect\$4)) same (buffer with (transmi\$5 or empt\$5 or transfer\$5)) same packet same (storage with system) same network) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:16
S37	1	((network with (unavailable or disconnect\$4)) same (buffer with (transmi\$5 or empt\$5 or transfer\$5)) same packet same (storage)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:19
S38	6	((network with (unavailable or disconnect\$4 or lost)) same (buffer with (transmi\$5 or empt\$5 or transfer\$5)) same packet same (storage)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:53
S39	88	((network with ("not" or availab\$5 or connect\$5 or presen\$5 or unabl\$5)) same ((stor\$4 with writ\$5 with packet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:22
S40	88	((network with (availab\$5 or connect\$5 or presen\$5 or unabl\$5)) same ((stor\$4 with writ\$5 with packet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:56

S41	22	((network with (availab\$5 or connect\$5 or presen\$5 or unabl\$5)) same ((stor\$4 near5 writ\$5 near5 packet))) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 15:59
S42	21	((network with (unavailab\$5 or connect\$5 or presen\$5 or unabl\$5 or ("not" adj avaiable))) same ((stor\$4 near5 writ\$5 near5 packet))) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:00
S43	1	((network with (unavailab\$5 or presen\$5 or unabl\$5 or ("not" adj avaiable))) same ((stor\$4 near5 writ\$5 near5 packet))) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:00
S44	191	(network same unavailab\$5 same packet same (receiv\$5 or transmi\$6) same (data or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 11:21
S45	86	((network with unavailab\$5) same packet same (receiv\$5 or transmi\$6) same (data or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:02
S46	4	((network with unavailab\$5) same packet same (receiv\$5 or transmi\$6) same (data with storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:02
S47	2	((network with unavailab\$5) same packet same (receiv\$5 or transmi\$6) same (data with storage)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:05
S48	0	((network with unavailab\$5) same packet same (receiv\$5 or transmi\$6) same (buffer same storage)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:05
S49	3	((network with unavailab\$5) same packet same (receiv\$5 or transmi\$6) same (buffer same memory)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:06
S50	6	((network with unavailab\$5)) and "5228083" and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:23

S51	2	((network with unavailab\$5)) same (stor\$5 with inbound with packet)) and "5228083" and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:24
S52	1	((network with unavailab\$5)) same (stor\$5 with receiv\$4 with packet)) and "5228083" and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:34
S53	1	"5948079" and ((send\$4 or receiv\$4) with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:35
S54	1	"5948079" and ((sen\$4 or receiv\$4) with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:35
S55	1	"5948079" and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:36
S56	0	"5948079".pn. and (far or apart)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 16:45
S57	0	"5948079".pn. and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/19 17:15